


arneg

YOUR
NATURALLY
INNOVATIVE
PARTNER
FOR RETAIL
SOLUTIONS



SANTIAGO

VERTICAL GLASS-DOOR



Santiago

Lunghezza senza spalle
Length without ends
Länge ohne Seiten
Longeur sans joues
Longitud sin laterales
Длина без боковин


Temperatura di esercizio
Working temperature
Betriebstemperatur
Temp. de fonctionnement
Temperatura de trabajo
Рабочая температура

Superficie di esposizione frontale
Opening display surface
Sichtbare Ausstellfläche
Surface d'exposition frontale
Superficie de exposición frontal
Лицевая площадь экспозиции


Superficie di esposizione orizzontale
Horizontal display surface
Gesamte Ausstellfläche
Surface d'exposition horizontale
Superficie de exposición de apoyo
Горизонтальная площадь экспозиции

Capacità utile
Net volume
Nutzleistung
Capacité utile
Capacidad útil
Полезный объем


			mm	°C	m ²	m ²	dm ³		
LF	085	200	1250	-1°C / +1°C 0°C / +2°C +2°C / +4°C	1,9	3,3	868		
			1875		2,9	4,9	1302		
			2500		3,9	6,5	1736		
		3750	5,8		9,8	2604			
		216	1250		2,1	3,3	935		
			1875		3,2	5,0	1403		
	2500		4,2		6,5	1871			
	095	200	1250		1,9	4,0	1066		
			1875		2,9	6,0	1599		
			2500		3,9	8,0	2132		
			3750		5,8	12,0	3198		
			216		1250	2,1	4,0	1151	
					1875	3,2	6,0	1726	
		2500			4,2	8,0	2302		
		105	200		1250	1,9	4,1	1102	
					1875	2,9	6,2	1653	
					2500	3,9	8,3	2204	
			216		3750	5,8	12,4	3306	
					1250	2,1	4,1	1186	
	1875				3,2	6,2	1778		
	MF	085	200		1250	-1°C / +1°C 0°C / +2°C +2°C / +4°C	1,8	3,3	827
					1875		2,7	4,9	1241
					2500		3,6	6,5	1655
			3750		5,4		9,8	2482	
216			1250	2,0	3,3		901		
			1875	3,0	4,9		1351		
		2500	4,0	6,5	1802				
095		200	1250	1,8	4,0		1016		
			1875	2,7	6,0		1525		
			2500	3,6	8,0		2033		
			3750	5,4	12,0		3049		
			216	1250	2,0		4,0	1108	
				1875	3,0		6,0	1661	
		2500		4,0	8,0		2215		
		105	200	3750	6,0		12,0	3323	
				1250	1,8		4,1	1050	
				1875	2,7		6,2	1575	
			216	2500	3,6		8,3	2100	
				3750	5,5		12,4	3149	
1250				2,0	4,1		1143		
105		200	1875	3,0	6,2		1714		
			2500	4,0	8,3		2285		
			3750	6,0	12,4		3428		




LF 85




LF 95




LF 105



MF 85



MF 95



MF 105

Santiago

Testate
Head-cases
Kopfmöbeln
Meubles tête
Cabeceras
Торцевыми секциями

Lunghezza esterna
External length
Aussenlänge
Longeur extérieur
Longitud externa
Внешняя Длина


Temperatura di esercizio
Working temperature
Betriebstemperatur
Temp. de fonctionnement
Temperatura de trabajo
Рабочая температура

Superficie di esposizione frontale
Opening display surface
Sichtbare Ausstellefläche
Surface d'exposition frontale
Superficie de exposición frontal
Лицевая площадь экспозиции

Superficie di esposizione orizzontale
Horizontal display surface
Gesamte Ausstellefläche
Surface d'exposition horizontale
Superficie de exposición de apoyo
Горизонтальная площадь экспозиции

Capacità utile
Net volume
Nutzleistung
Capacité utile
Capacidad útil
Полезный объем

	P	mm	°C	m ²		dm ³	
H200	LF	85	-1°C / +1°C	2,4	4,9	1301	
		1958		2,6	5,4	1428	
		95		2,6	5,4	1428	
		2159		2,9	6,0	1599	
		2159		2,9	6,0	1599	
		105		2284	3,1	6,4	1706
		2424		3,3	6,9	1825	
		2784		3,9	8,0	2132	
	MF	85		1784	2,2	4,8	1229
		1958		1958	2,4	5,4	1361
		95		2159	2,4	5,4	1361
		2159		2159	2,7	6,0	1525
		2159		2159	2,7	6,0	1525
		105		2284	2,9	6,4	1626
	2424	3,1	6,9	1740			
	2784	3,6	8,0	2033			
H216	LF	85	1784	2,6	5,0	1414	
		1958	1958	2,9	5,4	1541	
		95	2159	2,9	5,4	1541	
		2159	2159	3,2	6,0	1726	
		2159	2159	3,2	6,0	1726	
		105	2284	3,4	6,4	1841	
		2424	3,6	6,9	1970		
		2784	4,2	8,0	2302		
	MF	85	1784	2,4	4,8	1329	
		1958	1958	2,7	5,4	1483	
		95	2159	2,7	5,4	1483	
		2159	2159	3,0	6,0	1661	
		2159	2159	3,0	6,0	1661	
		105	2284	3,2	6,4	1772	
	2424	3,4	6,9	1896			
	2784	4,0	8,0	2215			



ENVIRONMENT SOLUTION



-41%


-57%

-56%

Consumo elettrico diretto
Direct electrical energy consumption
Direkter elektrischer Stromverbrauch
Consommation d'énergie directe
Consumo eléctrico directo
Прямое потребление электроэнергии

Consumo elettrico per la refrigerazione
Refrigeration electrical energy consumption
Elektrischer Stromverbrauch bei Kühlung
Consommation d'énergie pour la réfrigération
Consumo eléctrico de refrigeración
Потребление электроэнергии системой охлаждения

Consumo energia totale
Total energy consumption
Gesamter elektrischer Stromverbrauch
Consommation d'énergie totale
Consumo de energia total
Общее энергопотребление



ARNEG S.p.A.
 35010 Campo San Martino (PD) Italy - Tel. +39 049 9699333 - Fax +39 049 9699444 Certified ISO 9001:2008 - ISO 14001:2004
 BSOHSAS 18001:2007 - RAEE IT801000000139 - www.arneg.com

