

Santiago



Styling & Refrigeration

arneg

Santiago

Lunghezza senza spalle
Length without ends
Länge ohne Seiten
Longeur sans joues
Longitud sin laterales
Длина без боковин


Temperatura di esercizio
Working temperature
Betriebstemperatur
Temp. de fonctionnement
Temperatura de trabajo
Рабочая температура

Superficie di esposizione frontale
Opening display surface
Sichtbare Ausstellfläche
Surface d'exposition frontale
Superficie de exposición frontal
Лицевая площадь экспозиции




Superficie di esposizione orizzontale
Horizontal display surface
Gesamte Ausstellfläche
Surface d'exposition horizontale
Superficie de exposición de apoyo
Горизонтальная площадь экспозиции

Capacità utile
Net volume
Nutzleistung
Capacité utile
Capacidad útil
Полезный объем





			mm	°C	m ²	m ²	dm ³	
LF	085	200	1250	-1°C / +1°C	1,9	3,3	868	
			1875		2,9	4,9	1302	
			2500		3,9	6,5	1736	
			3750		5,8	9,8	2604	
			TST 1958		2,6	5,4	1428	
		216	1250		2,1	3,3	935	
			1875		3,2	5,0	1403	
			2500		4,2	6,5	1871	
			3750		6,4	9,8	2806	
			TST 1958		2,9	5,4	1541	
	095	200	1250		1,9	4,0	1066	
			1875		2,9	6,0	1599	
			2500		3,9	8,0	2132	
			3750		5,8	12,0	3198	
			TST 1958		2,6	5,4	1428	
			TST 2159		2,9	6,0	1599	
			216		1250	2,1	4,0	1151
		1875			3,2	6,0	1726	
		2500			4,2	8,0	2302	
		3750			6,4	12,0	3453	
		TST 1958			2,9	5,4	1541	
		TST 2159			3,2	6,0	1726	
		105			200	1250	1,9	4,1
			1875			2,9	6,2	1653
2500	3,9		8,3	2204				
3750	5,8		12,4	3306				
TST 2159	2,9		6,0	1599				
TST 2284	3,1		6,4	1706				
TST 2424	3,3		6,9	1825				
TST 2784	3,9		8,0	2132				
216	1250		2,1	4,1	1186			
	1875		3,2	6,2	1778			
	2500		4,2	8,3	2371			
	3750		6,4	12,4	3557			
	TST 2159		3,2	6,0	1726			
	TST 2284		3,4	6,4	1841			
	TST 2424	3,6	6,9	1970				
TST 2784	4,2	8,0	2302					
MF	085	200	1250	1,8	3,3	827		
			1875	2,7	4,9	1241		
			2500	3,6	6,5	1655		
			3750	5,4	9,8	2482		
			TST 1784	2,2	4,8	1229		
		TST 1958	2,4	5,4	1361			
		216	1250	2,0	3,3	901		
			1875	3,0	4,9	1351		
			2500	4,0	6,5	1802		
			3750	5,9	9,8	2703		
	TST 1784		2,4	4,8	1329			
	TST 1958	2,7	5,4	1483				
	095	200	1250	1,8	4,0	1016		
			1875	2,7	6,0	1525		
			2500	3,6	8,0	2033		
			3750	5,4	12,0	3049		
			TST 2159	2,7	6,0	1525		
			216	1250	2,0	4,0	1108	
				1875	3,0	6,0	1661	
		2500		4,0	8,0	2215		
		3750		6,0	12,0	3323		
		TST 2159		3,0	6,0	1661		
		105		200	1250	1,8	4,1	1050
					1875	2,7	6,2	1575
2500			3,6		8,3	2100		
3750			5,5		12,4	3149		
TST 2284	2,9		6,4		1626			
TST 2424	3,1		6,9		1740			
TST 2784	3,6		8,0		2033			
216	1250		2,0	4,1	1143			
	1875		3,0	6,2	1714			
	2500		4,0	8,3	2285			
	3750		6,0	12,4	3428			
	TST 2284		3,2	6,4	1772			
	TST 2424		3,4	6,9	1896			
	TST 2784		4,0	8,0	2215			







Testate - Head-cases - Kopfmöbeln - Meubles tête - Cabeceras - Торцевые секции






TST 1784






TST 1958






TST 2159



TST 2284



TST 2424



TST 2784

ENVIRONMENT SOLUTION



-41%


-57%

-56%

Consumo elettrico diretto
Direct electrical energy consumption
Direkter elektrischer Stromverbrauch
Consommation d'énergie directe
Consumo eléctrico directo
Прямое потребление электроэнергии

Consumo elettrico per la refrigerazione
Refrigeration electrical energy consumption
Elektrischer Stromverbrauch bei Kühlung
Consommation d'énergie pour la réfrigération
Consumo eléctrico de refrigeración
Потребление электроэнергии системой охлаждения

Consumo energia totale
Total energy consumption
Gesamter elektrischer Stromverbrauch
Consommation d'énergie totale
Consumo de energia total
Общее энергопотребление



ARNEG S.p.A.
 35010 Campo San Martino (PD) Italy - Tel. +39 049 9699333 - Fax +39 049 9699444
 Certified ISO 9001:2008 - ISO 14001:2004 - RAEE IT801000000139
www.arneg.com

